ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 622 (2001) 309–310

Journal of Organometallic Chemistry

Author Index of Volume 622

Abicht, H.-P., 121
Aime, S., 43
Akkari, A., 190
Al-Jahdali, M., 228
Amberger, H.-D., 19
Apostolidis, C., 19
Arce, A.J., 43
Asai, T., 302
Aznar, J., 274

Bagnoli, F., 180
Baker, P.K., 228
Bannwart, E., 97
Barba, V., 259
Barrau, J., 190
Barucki, H., 265
Beletskaya, I.P., 89
Belli Dell'Amico, D., 180
Benedek, C., 112
Benito, M., 33
Benvenuti, F., 286
Berke, H., 97
Bezsoudnova, E.Y., 38
Bildstein, B., 135
Bruhn, C., 172
Buchmeiser, M.R., 6
Byrne, J.J., 190

Calderazzo, F., 180
Caminade, A.-M., 33
Canovese, L., 155
Carlini, C., 286
Cerrada, E., 274
Cheprakov, A.V., 89
Chessa, G., 155
Chiantore, O., 43
Cinellu, M.A., 47
Coles, S.J., 265
Costa, M., 84
Costello, J.F., 265

De Felice, V., 242
de la Luz, V., 54
De Sanctis, Y., 43
Dötz, K.H., 251
Dreier, T., 143
Drew, M.G.B., 228

Edelstein, N.M., 19
El-khateeb, M., 1, 293
Enders, M., 66
Englert, U., 180
Erker, G., 143

Farfán, N., 54, 259
Fröhlich, R., 143

Gabriele, B., 84
Gallegos, E., 259
Gardenal, G., 155
Giordano, F., 242
Gobetto, R., 43
Gómez, E., 54
Gömöry, Á., 112
Gornitzka, H., 190
Guo, D.-S., 210
Gusev, O.V., 221

Heil, B., 112
Huang, X.-Y., 210
Hübener, R., 97
Hu, Q.-M., 210
Hursthouse, M.B., 265, 274

Ievlev, M.A., 221

Jacobsen, H., 97
Janes, E., 251
Jones, C., 61

Kaneko, M., 199
Kanellakopulos, B., 19
Karlstedt, N.B., 89
Kashin, A.N., 89
Kayaki, Y., 199
Kazankov, G.M., 89
Kempe, R., 6
Kern, K., 74
Kohl, G., 66
Kondo, T., 149
Kopacka, H., 135
Kropotova, A.G., 221

Lachmann, J., 121
Laguna, M., 274
Laurent, R., 33
Lebuis, A.-M., 1, 293
Lutz, M., 121
Lyssenko, K.A., 221

Majoral, J.-P., 33
Maraval, V., 33
Marchetti, F., 180, 286
Marchionna, M., 286
Maris, T., 166
Merigo, A., 180
Migita, T., 302
Minghetti, G., 47
Mitin, A.V., 89
Mitsudo, T.-a., 149
Muir, K.W., 297
Müller, G., 121
Nakajima, T., 199
Nakano, T., 302

Oguchi, Y.-i., 302
Okada, T., 149
Oprunenko, Y.F., 221
Orabona, I., 242

Peganova, T.A., 221
Pétillon, F.Y., 297
Petrovskii, P.V., 221
Pilo, M.I., 47
Pozo, C., 274
Pritzkow, H., 66
Prout, C.K., 166

Ramello, S., 180
Rausch, M., 172
Raspoli Galletti, A.M., 286
Rebizant, J., 19
Reddmann, H., 19
Rima, G., 190
Romero, M.P., 274
Rossell, O., 33
Rumin, R., 297
Russo, A., 43
Ryabov, A.D., 38

Salerno, G., 84
Sanna, G., 47
Santes, V., 54
Santillan, R., 259
Saur, I., 190
Sbrana, G., 286
Schareina, T., 6
Schmalle, H.W., 97
Schollhammer, P., 297
Schulz, H., 19
Schweiger, M., 135
Seco, M., 33
Seeber, R., 47
Segalés, G., 33
Senda, Y., 302
Shaver, A., 1, 293
Shimizu, I., 199
Silberg, J., 6
Skibar, W., 135
Song, L.-C., 210
Spano, N., 47
Steinborn, D., 172
Su, F.-H., 210
Sugimoto, H., 280
Sun, J., 210
Suzuki, T., 149
Szymańska-Buzar, T., 74

Tachikawa, M., 199
Talarmin, J., 297
Tanaka, K., 280

PII: S0022-328X(01)00711-2

Terayama, M., 302
Tesauro, D., 242
Thomas, R.C., 61
Tokarčík, M., 166
Törös, S., 112
Tsukamoto, H., 199

Uguagliati, P., 155
Unger, G., 143
Ustynyuk, N.A., 221

Valach, F., 166
Veltri, L., 84
Visentin, F., 155
Vitagliano, A., 242

Waldkircher, M., 121
Watkin, D.J., 166
Wibbeling, B., 143
Winkler, M., 121
Wurst, K., 6, 135

Yamamoto, A., 199

Zucca, A., 47

ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 622 (2001) 311–316

Journal of Organometallic Chemistry

Subject Index of Volume 622

Ab initio calculations
Experimental and theoretical studies on the course of CO insertion into Pt–C and Pd–C bonds in neutral and cationic complexes, $[MR(Cl)\{P(CH_3)_3\}_2]$ and $[MR\{P(CH_3)_3\}_2(s)]^+ BF_4^-$ (M = Pt, Pd, R = CH_3, C_6H_5, s = coordinated solvent), 199
Acetylenes
Synthesis of (*Z*)-1-aryl-2-(germyl)-1-(stannyl)ethenes and the related ethenes, precursors to stereodefined germylethenes, via $Pd(dba)_2$–$P(OCH_2)_3CEt$-catalyzed germastannation of acetylenes in THF, 302
Aldol condensation
Organotransition metal modified sugars: Part 21. Synthesis of organometallic disaccharides bearing two monosaccharide moieties linked by a chromium carbene spacer, 251
Alkyne complexes
Photosubstitution of carbon monoxide in $W(CO)_6$ by alkyne: NMR detection of thermally unstable alkyne tungsten(0) carbonyl complexes, 74
Alk-1-ynes
Synthesis of 2-ynamides by direct palladium-catalyzed oxidative aminocarbonylation of alk-1-ynes, 84
Amides
Synthesis of 2-ynamides by direct palladium-catalyzed oxidative aminocarbonylation of alk-1-ynes, 84
Aminoalkynes
Ruthenium-catalyzed intramolecular hydroamination of aminoalkynes, 149
Aminocarbonylation
Synthesis of 2-ynamides by direct palladium-catalyzed oxidative aminocarbonylation of alk-1-ynes, 84
Anionic benzyl phosphines
ortho-Lithiated benzyl diorganophosphines $[o\text{-}(R_2PCH_2)\text{-}C_6H_4Li(Et_2O)]$, R = Ph, Me. Synthesis, structural characterization, and reactions, 121
Antimony
Synthesis and structure of organoantimony (V) cyclometallates: transannular interactions and the barrier to cyclisation, 265
Aryl halides
NC-palladacycles as highly effective cheap precursors for the phosphine-free Heck reactions, 89

1,4-Benzenedimethanol
Synthesis and structure of pentacoordinated monoorganosilane derivatives of pyridine ligands, 54
bis(Hexafluoro-2,4-pentandionato)nickel(II)
Novel nickel catalysts based on perfluoroalkyl-β-diketone ligands for the selective dimerization of propylene to 2,3-dimethylbutenes, 286
bis(Tetradecafluoro-4,6-nonandionato) nickel(II)·2dmf
Novel nickel catalysts based on perfluoroalkyl-β-diketone ligands for the selective dimerization of propylene to 2,3-dimethylbutenes, 286
Bond-valence sum model
Bond-valence approach to the copper–copper and copper–nitrogen bonding in binuclear copper(II) complexes: Structure of tetrakis(2-iodobenzoato)bis(caffeine)dicopper-(II) at 210 K, 166

Caffeine
Bond-valence approach to the copper–copper and copper–nitrogen bonding in binuclear copper(II) complexes: Structure of tetrakis(2-iodobenzoato)bis(caffeine)dicopper-(II) at 210 K, 166
Cage compound
The synthesis and structural characterisation of a diphosphastibolyl potassium complex, $[\{[K(DME)][1,4,2\text{-}P_2SbC_2\text{-}Bu^t_2]\}_\infty]$, and a novel hetero-cage compound, 61
Carbene complexes
Organotransition metal modified sugars: Part 21. Synthesis of organometallic disaccharides bearing two monosaccharide moieties linked by a chromium carbene spacer, 251
Carbonyl
cis- and *trans*-Bis(1-phenyl-2,3,4,5-tetramethylphosphole)tetracarbonylmolybdenum(0), $[Mo(CO)_4(tmpPh)_2]$. Syntheses and structures, 297
3-Hexyne complexes of molybdenum(II) and tungsten(II) containing phosphite ligands: X-ray crystal structures of $[MoI_2(CO)(NCMe)\{P(OPh)_3\}(\eta^2\text{-}EtC_2Et)]$, $[MoI_2(CO)\text{-}(dppe)(\eta^2\text{-}EtC_2Et)]$ and $[MI_2(CO)\{P(O^iPr)_3\}_2(\eta^2\text{-}EtC_2Et)]$ (M = Mo and W), 228
Syntheses of new ruthenium carbonyl terpyridine *o*-phenylene complexes: strong interaction between carbonyl and *o*-phenylene ligands, 280
The synthesis and structure of the thiosulfonato iron complexes $CpFe(CO)_2SS(O)_2R$, 293
Carbonylation
Reversibility of palladium-alkyl intermediate formation in deuterioalkoxycarbonylation of 1-hexene, 112
Synthesis of 2-ynamides by direct palladium-catalyzed oxidative aminocarbonylation of alk-1-ynes, 84
Carbonyl complexes
Photosubstitution of carbon monoxide in $W(CO)_6$ by alkyne: NMR detection of thermally unstable alkyne tungsten(0) carbonyl complexes, 74
Carbonyls
Halo-carbonyl complexes of platinum(II) and palladium(II), 180
Carbyne tungsten complexes
Cationic chelate phosphane substituted carbyne tungsten complexes, 97
Catalysis
NC-palladacycles as highly effective cheap precursors for the phosphine-free Heck reactions, 89
Reversibility of palladium-alkyl intermediate formation in deuterioalkoxycarbonylation of 1-hexene, 112
C–F Activation
ω-Monofluoroalkylrhodoximes: synthesis and structures of $[Rh\{(CH_2)_nF\}(dmgH)_2(PPh_3)]$ ($n = 1, 3$) and C–F activation reactions, 172

PII: S0022-328X(01)00712-4

Cis–trans isomerization
Experimental and theoretical studies on the course of CO insertion into Pt–C and Pd–C bonds in neutral and cationic complexes, $[MR(Cl)\{P(CH_3)_3\}_2]$ and $[MR\{P(CH_3)_3\}_2(s)]^+ BF_4^-$ (M = Pt, Pd, R = CH_3, C_6H_5, s = coordinated solvent), 199
Claus process
The synthesis and structure of the thiosulfonato iron complexes $CpFe(CO)_2SS(O)_2R$, 293
Cluster
Very large neutral and polyanionic Fe/Au cluster-containing dendrimers, 33
Cobalt
Synthesis and electrochemical properties of organometallic macrocyclic crown ethers containing redox-active tetrahedral $Mo_2Fe(\mu_3\text{-}S)$ cluster cores. Crystal structures of $[Mo_2Fe(\mu_3\text{-}S)(CO)_7][\eta^5\text{-}C_5H_4CH_2(CH_2OCH_2)_n\ CH_2C_5H_4\text{-}\eta^5]$ ($n = 1$–3), 210
CO insertion
Experimental and theoretical studies on the course of CO insertion into Pt–C and Pd–C bonds in neutral and cationic complexes, $[MR(Cl)\{P(CH_3)_3\}_2]$ and $[MR\{P(CH_3)_3\}_2(s)]^+ BF_4^-$ (M = Pt, Pd, R = CH_3, C_6H_5, s = coordinated solvent), 199
Copper complex
Bond-valence approach to the copper–copper and copper–nitrogen bonding in binuclear copper(II) complexes: Structure of tetrakis(2-iodobenzoato)bis(caffeine)dicopper-(II) at 210 K, 166
Crown ether
Synthesis and electrochemical properties of organometallic macrocyclic crown ethers containing redox-active tetrahedral $Mo_2Fe(\mu_3\text{-}S)$ cluster cores. Crystal structures of $[Mo_2Fe(\mu_3\text{-}S)(CO)_7][\eta^5\text{-}C_5H_4CH_2(CH_2OCH_2)_n\ CH_2C_5H_4\text{-}\eta^5]$ ($n = 1$–3), 210
Crown ethers
Water-soluble cyclopalladated aryl oxime: a potent 'green' catalyst, 38
Crystal and molecular structures
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: LI. Synthese, Kristall-, Molekül- und Elektronenstruktur von $Cp_3Nd(NCCH_3)_2$, 19
Crystal field analysis
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: LI. Synthese, Kristall-, Molekül- und Elektronenstruktur von $Cp_3Nd(NCCH_3)_2$, 19
Crystal structure
Bond-valence approach to the copper–copper and copper–nitrogen bonding in binuclear copper(II) complexes: Structure of tetrakis(2-iodobenzoato)bis(caffeine)dicopper-(II) at 210 K, 166
Syntheses of new ruthenium carbonyl terpyridine *o*-phenylene complexes: strong interaction between carbonyl and *o*-phenylene ligands, 280
The synthesis and structural characterisation of a diphosphastibolyl potassium complex, $[\{[K(DME)][1,4,2\text{-}P_2SbC_2\text{-}Bu^t_2]\}_\infty]$, and a novel hetero-cage compound, 61
Crystal structure elucidation
ortho-Lithiated benzyl diorganophosphines $[o\text{-}(R_2PCH_2)C_6H_4Li\text{-}(Et_2O)]$, R = Ph, Me. Synthesis, structural characterization, and reactions, 121
Crystal structures
3-Hexyne complexes of molybdenum(II) and tungsten(II) containing phosphite ligands: X-ray crystal structures of $[MoI_2(CO)(NCMe)\{P(OPh)_3\}(\eta^2\text{-}EtC_2Et)]$, $[MoI_2(CO)\text{-}(dppe)(\eta^2\text{-}EtC_2Et)]$ and $[MI_2(CO)\{P(O^iPr)_3\}_2(\eta^2\text{-}EtC_2Et)]$ (M = Mo and W), 228
ω-Monofluoroalkylrhodoximes: synthesis and structures of $[Rh\{(CH_2)_nF\}(dmgH)_2(PPh_3)]$ ($n = 1$, 3) and C–F activation reactions, 172
Synthesis and electrochemical properties of organometallic macrocyclic crown ethers containing redox-active tetrahedral $Mo_2Fe(\mu_3\text{-}S)$ cluster cores. Crystal structures of $[Mo_2Fe(\mu_3\text{-}S)(CO)_7][\eta^5\text{-}C_5H_4CH_2(CH_2OCH_2)_n\ CH_2C_5H_4\text{-}\eta^5]$ ($n = 1$–3), 210
Cumulene
In situ synthesis of the first C_7 cumulene $(Fc)_2C{=}C{=}C{=}C{=}C{=}C{=}C\text{-}(Fc)_2$ via deprotonation of its conjugate acid $[(Fc)_2C_7H\text{-}(Fc)_2]^+ BF_4^-$ (Fc = ferrocenyl), 135
Cyclization
Ruthenium-catalyzed intramolecular hydroamination of aminoalkynes, 149
Cyclometalation
Water-soluble cyclopalladated aryl oxime: a potent 'green' catalyst, 38
Cyclometallated species
Electrochemical behaviour of cyclometallated gold(III) complexes. Evidence of transcyclometallation in the fate of electroreduced species, 47
Cyclometallation
Synthesis and structure of organoantimony (V) cyclometallates: transannular interactions and the barrier to cyclisation, 265
Cyclopentadienyl ligands
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: LI. Synthese, Kristall-, Molekül- und Elektronenstruktur von $Cp_3Nd(NCCH_3)_2$, 19

Dendrimer
Very large neutral and polyanionic Fe/Au cluster-containing dendrimers, 33
Deuterium
Reversibility of palladium-alkyl intermediate formation in deuterioalkoxycarbonylation of 1-hexene, 112
Diiodo
3-Hexyne complexes of molybdenum(II) and tungsten(II) containing phosphite ligands: X-ray crystal structures of $[MoI_2(CO)(NCMe)\{P(OPh)_3\}(\eta^2\text{-}EtC_2Et)]$, $[MoI_2(CO)\text{-}(dppe)(\eta^2\text{-}EtC_2Et)]$ and $[MI_2(CO)\{P(O^iPr)_3\}_2(\eta^2\text{-}EtC_2Et)]$ (M = Mo and W), 228
Diketiminato-ligands
Three coordinate divalent Group 14 element compounds with a β-diketiminate as supporting ligand L^2MX [L^2 = PhNC(Me)CHC(Me)NPh, X = Cl, I; M = Ge, Sn], 190
Dimers
The reactions of $CpRu(PPh_3)_2SR$ with the electrophiles HBF_4, $[MeSSMe_2]BF_4$ and MeSphth where R = CMe_3, $CHMe_2$, 4-C_6H_4Me and phth = phthalimide, 1
2,3-Dimethylbutenes
Novel nickel catalysts based on perfluoroalkyl-β-diketone ligands for the selective dimerization of propylene to 2,3-dimethylbutenes, 286
Dinuclear complexes
ω-Monofluoroalkylrhodoximes: synthesis and structures of $[Rh\{(CH_2)_nF\}(dmgH)_2(PPh_3)]$ ($n = 1$, 3) and C–F activation reactions, 172
Diphosphastibolyl
The synthesis and structural characterisation of a diphosphastibolyl potassium complex, $[\{[K(DME)][1,4,2\text{-}P_2SbC_2\text{-}Bu^t_2]\}_\infty]$, and a novel hetero-cage compound, 61

Elastomeric polypropylene
Group 4 metallocenes containing hetaryl substituents at their π-ligands: synthesis and characterization of the parent bis[2-(2-furyl)indenyl]zirconocene system, 143

Electrochemistry
Electrochemical behaviour of cyclometallated gold(III) complexes. Evidence of transcyclometallation in the fate of electroreduced species, 47
Electronic structure
Syntheses of new ruthenium carbonyl terpyridine *o*-phenylene complexes: strong interaction between carbonyl and *o*-phenylene ligands, 280
Electrophiles
The reactions of $CpRu(PPh_3)_2SR$ with the electrophiles HBF_4, $[MeSSMe_2]BF_4$ and MeSphth where R = CMe_3, $CHMe_2$, 4-C_6H_4Me and phth = phthalimide, 1
Enols
Stabilization of unstable unsaturated molecules in five-coordinate TBP complexes of Pt(II): enol, diol and dialdehyde derivatives, 242
Ester
Water-soluble cyclopalladated aryl oxime: a potent 'green' catalyst, 38

Ferrocene
In situ synthesis of the first C_7 cumulene $(Fc)_2C{=}C{=}C{=}C{=}C{=}C{=}C(Fc)_2$ via deprotonation of its conjugate acid $[(Fc)_2C_7H(Fc)_2]^+ BF_4^-$ (Fc = ferrocenyl), 135
Fluoroalkyl complexes
ω-Monofluoroalkylrhodoximes: synthesis and structures of $[Rh\{(CH_2)_nF\}(dmgH)_2(PPh_3)]$ (n = 1, 3) and C–F activation reactions, 172

Germastannation
Synthesis of (*Z*)-1-aryl-2-(germyl)-1-(stannyl)ethenes and the related ethenes, precursors to stereodefined germylethenes, via $Pd(dba)_2$–$P(OCH_2)_3CEt$-catalyzed germastannation of acetylenes in THF, 302
Germylstannane
Synthesis of (*Z*)-1-aryl-2-(germyl)-1-(stannyl)ethenes and the related ethenes, precursors to stereodefined germylethenes, via $Pd(dba)_2$–$P(OCH_2)_3CEt$-catalyzed germastannation of acetylenes in THF, 302
Gold
Very large neutral and polyanionic Fe/Au cluster-containing dendrimers, 33
Gold compounds
Electrochemical behaviour of cyclometallated gold(III) complexes. Evidence of transcyclometallation in the fate of electroreduced species, 47
Group 15
The synthesis and structural characterisation of a diphosphastibolyl potassium complex, $[\{[K(DME)][1,4,2\text{-}P_2SbC_2Bu^t_2]\}_\infty]$, and a novel hetero-cage compound, 61

Heck-couplings
N-Acyl-*N*,*N*-dipyridyl and *N*-acyl-*N*-pyridyl-*N*-quinoyl amine based palladium complexes. Synthesis, X-ray structures, heterogenization and use in Heck couplings, 6
Heck reaction
NC-palladacycles as highly effective cheap precursors for the phosphine-free Heck reactions, 89
Hemilabile ligands
Synthesis and coordination behaviour of the new (8-quinolyl)-cyclopentadienyl ligand, 66
Heptahexaene
In situ synthesis of the first C_7 cumulene $(Fc)_2C{=}C{=}C{=}C{=}C{=}C{=}C(Fc)_2$ via deprotonation of its conjugate acid $[(Fc)_2C_7H(Fc)_2]^+ BF_4^-$ (Fc = ferrocenyl), 135
Heterocycle
The synthesis and structural characterisation of a diphosphastibolyl potassium complex, $[\{[K(DME)][1,4,2\text{-}P_2SbC_2Bu^t_2]\}_\infty]$, and a novel hetero-cage compound, 61
Heteronuclear derivatives
Heteronuclear tin(IV)–silver(I) complexes with phosphinothiolate ligands. X-ray structure of $[AgSn(\mu\text{-}SC_6H_4PPh_2)_2Me_2(PPh_2Me)]CF_3SO_3{\cdot}CH_2Cl_2$, 274
1-Hexene
Reversibility of palladium-alkyl intermediate formation in deuterioalkoxycarbonylation of 1-hexene, 112
3-Hexyne
3-Hexyne complexes of molybdenum(II) and tungsten(II) containing phosphite ligands: X-ray crystal structures of $[MoI_2(CO)(NCMe)\{P(OPh)_3\}(\eta^2\text{-}EtC_2Et)]$, $[MoI_2(CO)(dppe)(\eta^2\text{-}EtC_2Et)]$ and $[MI_2(CO)\{P(O^iPr)_3\}_2(\eta^2\text{-}EtC_2Et)]$ (M = Mo and W), 228
Homogeneous catalysis
Novel nickel catalysts based on perfluoroalkyl-β-diketone ligands for the selective dimerization of propylene to 2,3-dimethylbutenes, 286
Homogeneous Ziegler-Natta catalysis
Group 4 metallocenes containing hetaryl substituents at their π-ligands: synthesis and characterization of the parent bis[2-(2-furyl)indenyl]zirconocene system, 143
Hydroamination
Ruthenium-catalyzed intramolecular hydroamination of aminoalkynes, 149
Hydrolysis
Water-soluble cyclopalladated aryl oxime: a potent 'green' catalyst, 38

Imines
New boron macrocycles based on self-assembly of Schiff bases, 259
2-Iodobenzoate
Bond-valence approach to the copper–copper and copper–nitrogen bonding in binuclear copper(II) complexes: Structure of tetrakis(2-iodobenzoato)bis(caffeine)dicopper(II) at 210 K, 166
Iron
In situ synthesis of the first C_7 cumulene $(Fc)_2C{=}C{=}C{=}C{=}C{=}C{=}C(Fc)_2$ via deprotonation of its conjugate acid $[(Fc)_2C_7H(Fc)_2]^+ BF_4^-$ (Fc = ferrocenyl), 135
Synthesis and electrochemical properties of organometallic macrocyclic crown ethers containing redox-active tetrahedral $Mo_2Fe(\mu_3\text{-}S)$ cluster cores. Crystal structures of $[Mo_2Fe(\mu_3\text{-}S)(CO)_7][\eta^5\text{-}C_5H_4CH_2(CH_2OCH_2)_n\ CH_2C_5H_4\text{-}\eta^5]$ (n = 1–3), 210
The synthesis and structure of the thiosulfonato iron complexes $CpFe(CO)_2SS(O)_2R$, 293
Very large neutral and polyanionic Fe/Au cluster-containing dendrimers, 33
Isomerisation
cis- and *trans*-Bis(1-phenyl-2,3,4,5-tetramethylphosphole)tetracarbonylmolybdenum(0), $[Mo(CO)_4(tmpPh)_2]$. Syntheses and structures, 297

Kinetics
Water-soluble cyclopalladated aryl oxime: a potent 'green' catalyst, 38

Ligand exchange
Water-soluble cyclopalladated aryl oxime: a potent 'green' catalyst, 38
Lithium organyls
ortho-Lithiated benzyl diorganophosphines $[o\text{-}(R_2PCH_2)C_6H_4Li(Et_2O)]$, R = Ph, Me. Synthesis, structural characterization, and reactions, 121

Low coordination
The synthesis and structural characterisation of a diphosphastibolyl potassium complex, $[\{[K(DME)][1,4,2\text{-}P_2SbC_2\text{-}Bu^t_2]\}_\infty]$, and a novel hetero-cage compound, 61

Macrocyclic boronates
New boron macrocycles based on self-assembly of Schiff bases, 259

M_{14} Divalent species
Three coordinate divalent Group 14 element compounds with a β-diketiminate as supporting ligand L^2MX [L^2 = PhNC(Me)CHC(Me)NPh, X = Cl, I; M = Ge, Sn], 190

Mechanism
Reversibility of palladium-alkyl intermediate formation in deuterioalkoxycarbonylation of 1-hexene, 112

Metal center
Cationic chelate phosphane substituted carbyne tungsten complexes, 97

Metallacycles
NC-palladacycles as highly effective cheap precursors for the phosphine-free Heck reactions, 89

Metallanethio- or selenoacid chloride
Three coordinate divalent Group 14 element compounds with a β-diketiminate as supporting ligand L^2MX [L^2 = PhNC(Me)CHC(Me)NPh, X = Cl, I; M = Ge, Sn], 190

Metallocene conformation
Group 4 metallocenes containing hetaryl substituents at their π-ligands: synthesis and characterization of the parent bis[2-(2-furyl)indenyl]zirconocene system, 143

Molecular orbital schemes
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: LI. Synthese, Kristall-, Molekül- und Elektronenstruktur von $Cp_3Nd(NCCH_3)_2$, 19

Molybdenum
cis- and *trans*-Bis(1-phenyl-2,3,4,5-tetramethylphosphole)tetracarbonylmolybdenum(0), $[Mo(CO)_4(tmpPh)_2]$. Syntheses and structures, 297
Synthesis and electrochemical properties of organometallic macrocyclic crown ethers containing redox-active tetrahedral $Mo_2Fe(\mu_3\text{-}S)$ cluster cores. Crystal structures of $[Mo_2Fe(\mu_3\text{-}S)(CO)_7\text{-}\{\eta^5\text{-}C_5H_4CH_2(CH_2OCH_2)_n\ CH_2C_5H_4\text{-}\eta^5\}]$ (n = 1–3), 210

Molybdenum(II)
3-Hexyne complexes of molybdenum(II) and tungsten(II) containing phosphite ligands: X-ray crystal structures of $[MoI_2(CO)(NCMe)\{P(OPh)_3\}(\eta^2\text{-}EtC_2Et)]$, $[MoI_2(CO)(dppe)(\eta^2\text{-}EtC_2Et)]$ and $[MI_2(CO)\{P(O^iPr)_3\}_2(\eta^2\text{-}EtC_2Et)]$ (M = Mo and W), 228

Monoalkyl complexes
Experimental and theoretical studies on the course of CO insertion into Pt–C and Pd–C bonds in neutral and cationic complexes, $[MR(Cl)\{P(CH_3)_3\}_2]$ and $[MR\{P(CH_3)_3\}_2(s)]^+BF_4^-$ (M = Pt, Pd, R = CH_3, C_6H_5, s = coordinated solvent), 199

Neodymium
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: LI. Synthese, Kristall-, Molekül- und Elektronenstruktur von $Cp_3Nd(NCCH_3)_2$, 19

N-functionalized cyclopentadienyl ligands
Synthesis and coordination behaviour of the new (8-quinolyl)cyclopentadienyl ligand, 66

NMR spectroscopy
Photosubstitution of carbon monoxide in $W(CO)_6$ by alkyne: NMR detection of thermally unstable alkyne tungsten(0) carbonyl complexes, 74

Norbornene
Ring-opening polymerisation of norbornene by $(\mu\text{-}H)_2Os_3(CO)_{10}$ complex, 43

O- and *C*-glycosides
Organotransition metal modified sugars: Part 21. Synthesis of organometallic disaccharides bearing two monosaccharide moieties linked by a chromium carbene spacer, 251

Olefin complexes
Stabilization of unstable unsaturated molecules in five-coordinate TBP complexes of Pt(II): enol, diol and dialdehyde derivatives, 242

Olefin exchange path
Palladium(0)–olefin complexes with potentially terdentate nitrogen–sulfur ligands. The role of the chelate in the olefin exchange path, 155

o-Phenylene
Syntheses of new ruthenium carbonyl terpyridine *o*-phenylene complexes: strong interaction between carbonyl and *o*-phenylene ligands, 280

Organoaluminium co-catalysts
Novel nickel catalysts based on perfluoroalkyl-β-diketone ligands for the selective dimerization of propylene to 2,3-dimethylbutenes, 286

Organometallic disaccharides
Organotransition metal modified sugars: Part 21. Synthesis of organometallic disaccharides bearing two monosaccharide moieties linked by a chromium carbene spacer, 251

Organorhodoximes
ω-Monofluoroalkylrhodoximes: synthesis and structures of $[Rh\{(CH_2)_nF\}(dmgH)_2(PPh_3)]$ (n = 1, 3) and C–F activation reactions, 172

Osmium complexes
Ring-opening polymerisation of norbornene by $(\mu\text{-}H)_2Os_3(CO)_{10}$ complex, 43

Palladium
Experimental and theoretical studies on the course of CO insertion into Pt–C and Pd–C bonds in neutral and cationic complexes, $[MR(Cl)\{P(CH_3)_3\}_2]$ and $[MR\{P(CH_3)_3\}_2(s)]^+BF_4^-$ (M = Pt, Pd, R = CH_3, C_6H_5, s = coordinated solvent), 199
Halo-carbonyl complexes of platinum(II) and palladium(II), 180
NC-palladacycles as highly effective cheap precursors for the phosphine-free Heck reactions, 89
Reversibility of palladium-alkyl intermediate formation in deuterioalkoxycarbonylation of 1-hexene, 112
Synthesis of 2-ynamides by direct palladium-catalyzed oxidative aminocarbonylation of alk-1-ynes, 84
Water-soluble cyclopalladated aryl oxime: a potent 'green' catalyst, 38

Palladium catalysis
Synthesis of (*Z*)-1-aryl-2-(germyl)-1-(stannyl)ethenes and the related ethenes, precursors to stereodefined germylethenes, via $Pd(dba)_2$–$P(OCH_2)_3CEt$-catalyzed germastannation of acetylenes in THF, 302

Palladium-catalyzed cross-coupling
Synthesis and coordination behaviour of the new (8-quinolyl)cyclopentadienyl ligand, 66

Palladium(II)-catalysts
N-Acyl-*N*,*N*-dipyridyl and *N*-acyl-*N*-pyridyl-*N*-quinoyl amine based palladium complexes. Synthesis, X-ray structures, heterogenization and use in Heck couplings, 6

Pallidium(0)–olefin complexes
Palladium(0)–olefin complexes with potentially terdentate nitrogen–sulfur ligands. The role of the chelate in the olefin exchange path, 155

Pentacoordinated
Synthesis and structure of pentacoordinated monoorganosilane derivatives of pyridine ligands, 54
Phosphine ligands
Novel nickel catalysts based on perfluoroalkyl-β-diketone ligands for the selective dimerization of propylene to 2,3-dimethylbutenes, 286
Phosphinethiolate
Heteronuclear tin(IV)–silver(I) complexes with phosphinothiolate ligands. X-ray structure of $[AgSn(\mu\text{-}SC_6H_4PPh_2)_2Me_2(PPh_2Me)]CF_3SO_3\cdot CH_2Cl_2$, 274
Phosphites
3-Hexyne complexes of molybdenum(II) and tungsten(II) containing phosphite ligands: X-ray crystal structures of $[MoI_2(CO)(NCMe)\{P(OPh)_3\}(\eta^2\text{-}EtC_2Et)]$, $[MoI_2(CO)(dppe)(\eta^2\text{-}EtC_2Et)]$ and $[MI_2(CO)\{P(O^iPr)_3\}_2(\eta^2\text{-}EtC_2Et)]$ (M = Mo and W), 228
Phosphole
cis- and *trans*-Bis(1-phenyl-2,3,4,5-tetramethylphosphole)tetracarbonylmolybdenum(0), $[Mo(CO)_4(tmpPh)_2]$. Syntheses and structures, 297
Phosphorus
Very large neutral and polyanionic Fe/Au cluster-containing dendrimers, 33
Photolysis
Photosubstitution of carbon monoxide in $W(CO)_6$ by alkyne: NMR detection of thermally unstable alkyne tungsten(0) carbonyl complexes, 74
Physical properties
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: LI. Synthese, Kristall-, Molekül- und Elektronenstruktur von $Cp_3Nd(NCCH_3)_2$, 19
Platinum
Experimental and theoretical studies on the course of CO insertion into Pt–C and Pd–C bonds in neutral and cationic complexes, $[MR(Cl)\{P(CH_3)_3\}_2]$ and $[MR\{P(CH_3)_3\}_2(s)]^+BF_4^-$ (M = Pt, Pd, R = CH_3, C_6H_5, s = coordinated solvent), 199
Halo-carbonyl complexes of platinum(II) and palladium(II), 180
Stabilization of unstable unsaturated molecules in five-coordinate TBP complexes of Pt(II): enol, diol and dialdehyde derivatives, 242
Synthesis of platinum complexes with η^4-$C_5Me_4(CF_3)H$ ligand. X-ray structure of $[Pt(\eta^4\text{-}C_5Me_4H_2)Cl_2]$ and $[Pt\{\eta^4\text{-}C_5Me_4(CF_3)H\}(\eta^5\text{-}C_5H_5)]PF_6$, 221
Polymerizations
N-Acyl-*N*,*N*-dipyridyl and *N*-acyl-*N*-pyridyl-*N*-quinoyl amine based palladium complexes. Synthesis, X-ray structures, heterogenization and use in Heck couplings, 6
Propylene oligomerization
Novel nickel catalysts based on perfluoroalkyl-β-diketone ligands for the selective dimerization of propylene to 2,3-dimethylbutenes, 286
Pyridinediols
Synthesis and structure of pentacoordinated monoorganosilane derivatives of pyridine ligands, 54

Ring-opening polymerisation
Ring-opening polymerisation of norbornene by $(\mu\text{-}H)_2Os_3(CO)_{10}$ complex, 43
Ruthenium
Syntheses of new ruthenium carbonyl terpyridine *o*-phenylene complexes: strong interaction between carbonyl and *o*-phenylene ligands, 280
The reactions of $CpRu(PPh_3)_2SR$ with the electrophiles HBF_4, $[MeSSMe_2]BF_4$ and MeSphth where R = CMe_3, $CHMe_2$, 4-C_6H_4Me and phth = phthalimide, 1
Ruthenium catalyst
Ruthenium-catalyzed intramolecular hydroamination of aminoalkynes, 149

Schiff bases
New boron macrocycles based on self-assembly of Schiff bases, 259
Self-assembly
New boron macrocycles based on self-assembly of Schiff bases, 259
Silane
Synthesis and structure of pentacoordinated monoorganosilane derivatives of pyridine ligands, 54
Silver
Heteronuclear tin(IV)–silver(I) complexes with phosphinothiolate ligands. X-ray structure of $[AgSn(\mu\text{-}SC_6H_4PPh_2)_2Me_2(PPh_2Me)]CF_3SO_3\cdot CH_2Cl_2$, 274
^{29}Si-NMR
Synthesis and structure of pentacoordinated monoorganosilane derivatives of pyridine ligands, 54
Solvatochromism
Synthesis and coordination behaviour of the new (8-quinolyl)cyclopentadienyl ligand, 66
Structure
The reactions of $CpRu(PPh_3)_2SR$ with the electrophiles HBF_4, $[MeSSMe_2]BF_4$ and MeSphth where R = CMe_3, $CHMe_2$, 4-C_6H_4Me and phth = phthalimide, 1
The synthesis and structure of the thiosulfonato iron complexes $CpFe(CO)_2SS(O)_2R$, 293
Structures
Halo-carbonyl complexes of platinum(II) and palladium(II), 180
Sulfur
The synthesis and structure of the thiosulfonato iron complexes $CpFe(CO)_2SS(O)_2R$, 293
Synthesis
Synthesis of platinum complexes with η^4-$C_5Me_4(CF_3)H$ ligand. X-ray structure of $[Pt(\eta^4\text{-}C_5Me_4H_2)Cl_2]$ and $[Pt\{\eta^4\text{-}C_5Me_4(CF_3)H\}(\eta^5\text{-}C_5H_5)]PF_6$, 221

Terdentate nitrogen–sulfur ligands
Palladium(0)–olefin complexes with potentially terdentate nitrogen–sulfur ligands. The role of the chelate in the olefin exchange path, 155
Tetramethyl(trifluoromethyl)cyclopentadiene complexes
Synthesis of platinum complexes with η^4-$C_5Me_4(CF_3)H$ ligand. X-ray structure of $[Pt(\eta^4\text{-}C_5Me_4H_2)Cl_2]$ and $[Pt\{\eta^4\text{-}C_5Me_4(CF_3)H\}(\eta^5\text{-}C_5H_5)]PF_6$, 221
Thiolate
The reactions of $CpRu(PPh_3)_2SR$ with the electrophiles HBF_4, $[MeSSMe_2]BF_4$ and MeSphth where R = CMe_3, $CHMe_2$, 4-C_6H_4Me and phth = phthalimide, 1
Thiosulfonato
The synthesis and structure of the thiosulfonato iron complexes $CpFe(CO)_2SS(O)_2R$, 293
Tin
Heteronuclear tin(IV)–silver(I) complexes with phosphinothiolate ligands. X-ray structure of $[AgSn(\mu\text{-}SC_6H_4PPh_2)_2Me_2(PPh_2Me)]CF_3SO_3\cdot CH_2Cl_2$, 274
1,3-Transannular interactions
Synthesis and structure of organoantimony (V) cyclometallates: transannular interactions and the barrier to cyclisation, 265
trans-Influence
cis- and *trans*-Bis(1-phenyl-2,3,4,5-tetramethylphosphole)tetracarbonylmolybdenum(0), $[Mo(CO)_4(tmpPh)_2]$. Syntheses and structures, 297

Transition metal complexes
Three coordinate divalent Group 14 element compounds with a β-diketiminate as supporting ligand L^2MX [L^2 = Ph-NC(Me)CHC(Me)NPh, X = Cl, I; M = Ge, Sn], 190
Triple bonded ligand system
Cationic chelate phosphane substituted carbyne tungsten complexes, 97
Tungsten
Photosubstitution of carbon monoxide in $W(CO)_6$ by alkyne: NMR detection of thermally unstable alkyne tungsten(0) carbonyl complexes, 74
Tungsten(II)
3-Hexyne complexes of molybdenum(II) and tungsten(II) containing phosphite ligands: X-ray crystal structures of $[MoI_2(CO)(NCMe)\{P(OPh)_3\}(\eta^2\text{-}EtC_2Et)]$, $[MoI_2(CO)(dppe)(\eta^2\text{-}EtC_2Et)]$ and $[MI_2(CO)\{P(O^iPr)_3\}_2(\eta^2\text{-}EtC_2Et)]$ (M = Mo and W), 228

X-ray structures
In situ synthesis of the first C_7 cumulene $(Fc)_2C{=}C{=}C{=}C{=}C{=}C{=}C(Fc)_2$ via deprotonation of its conjugate acid $[(Fc)_2C_7H(Fc)_2]^+ BF_4^-$ (Fc = ferrocenyl), 135
N-Acyl-*N*,*N*-dipyridyl and *N*-acyl-*N*-pyridyl-*N*-quinoyl amine based palladium complexes. Synthesis, X-ray structures, heterogenization and use in Heck couplings, 6
Synthesis of platinum complexes with $\eta^4\text{-}C_5Me_4(CF_3)H$ ligand. X-ray structure of $[Pt(\eta^4\text{-}C_5Me_4H_2)Cl_2]$ and $[Pt\{\eta^4\text{-}C_5Me_4(CF_3)H\}(\eta^5\text{-}C_5H_5)]PF_6$, 221

2-Ynamides
Synthesis of 2-ynamides by direct palladium-catalyzed oxidative aminocarbonylation of alk-1-ynes, 84

(*Z*)-Germyl(stannyl)ethenes
Synthesis of (*Z*)-1-aryl-2-(germyl)-1-(stannyl)ethenes and the related ethenes, precursors to stereodefined germylethenes, via $Pd(dba)_2$–$P(OCH_2)_3CEt$-catalyzed germastannation of acetylenes in THF, 302
Zincated cyclopentadienyl compounds
Synthesis and coordination behaviour of the new (8-quinolyl)cyclopentadienyl ligand, 66
Zirconocene complexes
Group 4 metallocenes containing hetaryl substituents at their π-ligands: synthesis and characterization of the parent bis[2-(2-furyl)indenyl]zirconocene system, 143